Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	715/741-743.ccls. and ((text near4 entry) or field) with (plural or many or multiple) with (relationship or related or associated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:13
L4	3	715/741-743.ccls. and 715/780. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:12
L5	0	((text near4 entry) or field) with (plural or many or multiple) with (relationship or related or associated) same (password or logon) same (text or security) with (characteristic or mark or key or cue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:14
L6	0	((text near4 entry) or field) with (plural or many or multiple) with (relationship or related or associated or linked) same (password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:15
L7	0	((text near4 entry) or field) with (plural or many or multiple) same (relationship or related or associated or linked) same (password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:22
L8	8	((text near4 entry) or field) with (plural or many or multiple) same(password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:16
L9	30	(text or field) with (plural or many or multiple) same(password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:18

L10	22	9 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:16
L11	18	(text or field) with (plural or many or multiple) same (password or logon) same (location or postion) same (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:19
L12	4	11 not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:19
L13	0	text with field with (plural or many or multiple) same (relationship or related or associated or linked) same (password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:22
L14	0	text with field with (plural or many or multiple) same (password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:22
L15	27	text with (plural or many or multiple) same (password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:23
L16	7	(text or data or password or logon) with (plural or many or multiple) with (field or box) same (password or logon) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:24
L17	7	(text or data or password or logon) with (plural or many or multiple) with (field or box) same (password) same (text or security) with (characteristic or mark or key or cue or feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 06:25

| L18 | 7 | (text or data or password or logon) with (plural or many or multiple) with (field or box) with (identify or identifying or distinguish or distinguishing) same (text or security) with (characteristic or mark or key or cue or feature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/19 06:25 |
| L19 | 7 | 18 not 7 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/09/19 06:26 |

Terms used	Found
text field OR **entry characteristic** OR **key** OR **feature logon** OR **password position** OR **location**	**53,535** of 161,645

Sort results by [relevance ▼]   ◆ Save results to a Binder   Try an Advanced Search

Display results [expanded form ▼]   ⍰ Search Tips   Try this search in The ACM Guide

☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10 next

Best 200 shown   Relevance scale ☐⊟⊟■■

1 Data base directions: the next steps
John L. Berg
November 1976 **ACM SIGMOD Record , ACM SIGMIS Database**, Volume 8 , 8 Issue 4 , 2

Full text available: 📄 pdf(9.95 MB)   Additional Information: full citation, abstract

What information about data base technology does a manager need to make prudent
decisions about using this new technology? To provide this information the National Bureau
of Standards and the Association for Computing Machinery established a workshop of
approximately 80 experts in five major subject areas. The five subject areas were auditing,
evolving technology, government regulations, standards, and user experience. Each area
prepared a report contained in these proceedings. The proceedings p ...

Keywords: DBMS, auditing, cost/benefit analysis, data base, data base management,
government regulation, management objectives, privacy, security, standards, technology
assessment, user experience

2 Manufacturing resource planning on a PC local area network
H. Clark Kee, Roy L. Post
May 1986 **ACM SIGAPL APL Quote Quad , Proceedings of the international conference
on APL**, Volume 16 Issue 4

Full text available: 📄 pdf(1.47 MB)   Additional Information: full citation, abstract, index terms

This paper details a large APL programming project of 12 man years. An integrated
software system structured on the principles of MRP (manufacturing resource planning) was
implemented by a Bristol-Myers in house team for use in a new manufacturing facility. The
system applies off-the-shelf technology in innovative ways, using STSC APL*PLUS/PC as the
only programming language, to build a very sophisticated application on IBM/PCs fully
sharing data in a secure environment via the N ...

3 Computing curricula 2001
September 2001 **Journal on Educational Resources in Computing (JERIC)**

Full text available: 📄 pdf(613.63 KB)   Additional Information: full citation, references, citings, index terms
📄 html(2.78 KB)

4 WYLBUR: an interactive text editing and remote job entry system

Roger Fajman, John Borgelt

May 1973 **Communications of the ACM**, Volume 16 Issue 5

Full text available: pdf(1.06 MB)   Additional Information: full citation, abstract, references, citings

WYLBUR is a comprehensive system for manipulating all kinds of text, such as computer programs, letters, and manuscripts, using typewriter terminals connected to a computer. It has facilities for remote job entry and retrieval as well as facilities for text alignment and justification. A powerful method for addressing text by content is provided. This paper describes the external appearance of WYLBUR as well as its internal structure. A short description of the major features of ORVYL, a ge ...

Keywords: content addressing, data entry, document preparation, interactive terminal, interactive text editing, online text editing, program preparation, remote job entry, remote job retrieval, remote terminal, terminal, terminal system, text editing, time-sharing

5 On-line Text Editing: A Survey

Andries van Dam, David E. Rice

September 1971 **ACM Computing Surveys (CSUR)**, Volume 3 Issue 3

Full text available: pdf(1.91 MB)   Additional Information: full citation, abstract, references, citings, index terms

This paper is a survey of current methods for the on-line creation and editing of computer programs and of ordinary manuscripts text. The characteristics of on-line editing systems are examined and examples of various implementations are described in three categories: program editors, text editors, and terminals with local editing facilities.

6 A survey of peer-to-peer content distribution technologies

Stephanos Androutsellis-Theotokis, Diomidis Spinellis

December 2004 **ACM Computing Surveys (CSUR)**, Volume 36 Issue 4

Full text available: pdf(517.77 KB)   Additional Information: full citation, abstract, references, index terms

Distributed computer architectures labeled "peer-to-peer" are designed for the sharing of computer resources (content, storage, CPU cycles) by direct exchange, rather than requiring the intermediation or support of a centralized server or authority. Peer-to-peer architectures are characterized by their ability to adapt to failures and accommodate transient populations of nodes while maintaining acceptable connectivity and performance.Content distribution is an important peer-to-peer application ...

Keywords: Content distribution, DHT, DOLR, grid computing, p2p, peer-to-peer

7 Face recognition: A literature survey

W. Zhao, R. Chellappa, P. J. Phillips, A. Rosenfeld

December 2003 **ACM Computing Surveys (CSUR)**, Volume 35 Issue 4

Full text available: pdf(4.28 MB)   Additional Information: full citation, abstract, references, citings, index terms

As one of the most successful applications of image analysis and understanding, face recognition has recently received significant attention, especially during the past several years. At least two reasons account for this trend: the first is the wide range of commercial and law enforcement applications, and the second is the availability of feasible technologies after 30 years of research. Even though current machine recognition systems have reached a certain level of maturity, their success is ...

Keywords: Face recognition, person identification

8 <u>Seesion VIII - industrial experiences with computer-supported groups: Computer</u>
<u>teleconferencing: experience at Hewlett-Packard</u>
Tony Fanning, Bert Raphael
December 1986 **Proceedings of the 1986 ACM conference on Computer-supported**
cooperative work

Full text available: pdf(1.48 MB)   Additional Information: full citation, abstract, references, citings

> As part of a thrust to improve communication and collaboration among geographically
> separated groups of engineers, Hewlett-Packard in 1984 investigated computer
> teleconferencing. Most of that year was devoted to selection, acquisition, and limited pilot
> use of one such system (CONFER II), which has since been made widely available in the
> company. Today 1800 HP employees have registered to use the system. Hundreds of
> people from 15 countries on five continents sign on daily to participate in more ...

9 <u>Gauging the risks of internet elections</u>
Deborah M. Phillips, Hans A. von Spakovsky
January 2001 **Communications of the ACM**, Volume 44 Issue 1

Full text available: pdf(159.11 KB)
html(35.52 KB)   Additional Information: full citation, references, index terms

10 <u>A taxonomy of computer program security flaws</u>
Carl E. Landwehr, Alan R. Bull, John P. McDermott, William S. Choi
September 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 3

Full text available: pdf(3.81 MB)   Additional Information: full citation, abstract, references, citings, index
terms, review

> An organized record of actual flaws can be useful to computer system designers,
> programmers, analysts, administrators, and users. This survey provides a taxonomy for
> computer program security flaws, with an Appendix that documents 50 actual security
> flaws. These flaws have all been described previously in the open literature, but in widely
> separated places. For those new to the field of computer security, they provide a good
> introduction to the characteristics of security flaws and how they ...

Keywords: error/defect classification, security flaw, taxonomy

11 <u>The case for internet voting</u>
Joe Mohen, Julia Glidden
January 2001 **Communications of the ACM**, Volume 44 Issue 1

Full text available: pdf(158.11 KB)
html(35.34 KB)   Additional Information: full citation, references, citings, index terms

12 <u>Phone-based CSCW: tools and trials</u>
Paul Resnick
October 1993 **ACM Transactions on Information Systems (TOIS)**, Volume 11 Issue 4

Full text available: pdf(1.69 MB)   Additional Information: full citation, abstract, references, citings, index
terms

Telephones are the most ubiquitous, best-networked, and simplest computer terminals available today. They have been used for voice mail but largely overlooked as a platform for asynchronous cooperative-work applications such as event calendars, issue discussions, and question-and-answer gathering. HyperVoice is a software toolkit for constructing such applications. Its building blocks are high-level presentation formats for collections of structured voice messages. The presentation formats ...

Keywords: application generator, cooperative work, groupware, interactive voice response, phone-based interface, semi-structured messages, telephone bulletin board, voice mail

13 Development of an APL standard
A. D. Falkoff, D. L. Orth
May 1979 **ACM SIGAPL APL Quote Quad , Proceedings of the international conference on APL: part 2**, Volume 9 Issue 4

Full text available: pdf(3.83 MB)   Additional Information: full citation, abstract, references, citings, index terms

Following an extended period of development, with more than half a dozen iterations, a standard for APL was not long ago adopted for use within IBM. In this paper we offer some highlights of our experience in this development process, as well as an appendix containing the technical matter in the standard itself. If a standards effort should get under way in the wider APL community, this experience and its work product may perhaps be found useful, and it is offered here in recognition of thi ...

14 Level II technical support in a distributed computing environment
Tim Leehane
September 1996 **Proceedings of the 24th annual ACM SIGUCCS conference on User services**

Full text available: pdf(5.73 MB)   Additional Information: full citation, references, index terms

15 Distributed operating systems
Andrew S. Tanenbaum, Robbert Van Renesse
December 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 4

Full text available: pdf(5.49 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

16 Technique for automatically correcting words in text
Karen Kukich
December 1992 **ACM Computing Surveys (CSUR)**, Volume 24 Issue 4

Full text available: pdf(6.23 MB)   Additional Information: full citation, abstract, references, citings, index terms, review

Research aimed at correcting words in text has focused on three progressively more difficult problems:(1) nonword error detection; (2) isolated-word error correction; and (3) context-dependent work correction. In response to the first problem, efficient pattern-matching and n-gram analysis techniques have been developed for detecting strings that do not appear in

a given word list. In response to the second problem, a variety of general and application-specific spelling cor ...

Keywords: n-gram analysis, Optical Character Recognition (OCR), context-dependent spelling correction, grammar checking, natural-language-processing models, neural net classifiers, spell checking, spelling error detection, spelling error patterns, statistical-language models, word recognition and correction

17 Measurement: A high-level programming environment for packet trace anonymization and transformation

Ruoming Pang, Vern Paxson

August 2003 **Proceedings of the 2003 conference on Applications, technologies, architectures, and protocols for computer communications**

Full text available: pdf(251.27 KB)   Additional Information: full citation, abstract, references, citings, index terms

Packet traces of operational Internet traffic are invaluable to network research, but public sharing of such traces is severely limited by the need to first remove all sensitive information. Current trace anonymization technology leaves only the packet headers intact, completely stripping the contents; to our knowledge, there are no publicly available traces of any significant size that contain packet payloads. We describe a new approach to transform and anonymize packet traces. Our tool provide ...

Keywords: anonymization, internet, measurement, network intrusion detection, packet trace, privacy, transformation

18 Fortran 8X draft

Loren P. Meissner

December 1989 **ACM SIGPLAN Fortran Forum**, Volume 8 Issue 4

Full text available: pdf(21.36 MB)   Additional Information: full citation, abstract, index terms

Standard Programming Language Fortran. This standard specifies the form and establishes the interpretation of programs expressed in the Fortran language. It consists of the specification of the language Fortran. No subsets are specified in this standard. The previous standard, commonly known as "FORTRAN 77", is entirely contained within this standard, known as "Fortran 8x". Therefore, any standard-conforming FORTRAN 77 program is standard conforming under this standard. New features can b ...

19 DISSERTATIONS: ABSTRACTS OF INTEREST

Susanne M. Humphrey, Ben Shneiderman

April 1992 **ACM SIGCHI Bulletin**, Volume 24 Issue 2

Full text available: pdf(2.16 MB)   Additional Information: full citation, abstract

The following abstracts were selected from a computer search using the BRS Information Technologies retrieval services of the Dissertation Abstracts International (DAI) database produced by University Microfilms International.Unless otherwise specified, paper or microform copies of dissertations may be ordered, using the UM order number, from University Microfilms International, Dissertation Copies, Post Office Box 1794, Ann Arbor, MI 488106; telephone for U.S. (except Michigan, Hawaii, or Alask ...

20 The Satchel system architecture: mobile access to documents and services

Mike Flynn, David Pendlebury, Chris Jones, Marge Eldridge, Mik Lamming

December 2000 **Mobile Networks and Applications**, Volume 5 Issue 4

Additional Information: full citation, abstract, references, citings, index

Full text available: pdf(207.51 KB)   terms

Mobile professionals require access to documents and document‐related services, such as printing, wherever they may be. They may also wish to give documents to colleagues electronically, as easily as with paper, face‐to‐face, and with similar security characteristics. The Satchel system provides such capabilities in the form of a mobile browser, implemented on a device that professional people would be likely to carry anyway, such as a pager or mobile phone. Printing may be per ...

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next

Useful downloads: Adobe Acrobat   QuickTime   Windows Media Player   Real Player

Google   text (field OR entry) (characteristic OR key OR   Search   Advanced Search
                                                                    Preferences

Web Results **1 - 10** of about **6,820,000** for <u>text</u> <u>(field</u> **OR** <u>entry)</u> <u>(characteristic</u> **OR** <u>key</u> **OR** <u>feature)</u> <u>(logon O</u>

INPUT - Form Input
The default TYPE is **text**, which provides a single-line **text** input **field**. ...
The **password** input type is a variation on the **text** type. ...
www.htmlhelp.com/reference/html40/forms/input.html - 22k - Cached - Similar pages

Contents
How Modifying a Column Affects a Generalized-**Key** Index (XPS) ... Default Name
and **Location** of the Output File on Windows · SET INDEX · SET INDEXES ...
publib.boulder.ibm.com/infocenter/ ids9help/topic/com.ibm.sqls.doc/sqls02.htm - 171k - Cached - Similar pages

PHPXRef 0.5 : Xaraya : Full Variable Index
... Definitions: 16 References: 93; **$password** Definitions: 14 References: 72 ...
Definitions: 26 References: 79; **$position** Definitions: 15 References: 62 ...
www.xaraya.com/documentation/phpxref/_variables/ - 513k - Cached - Similar pages

WinSCP Setup
Next, find your public **key** file (you wrote the **location** down in a previous step)
... Note that the "Private **Key**" **field** will become ready for a **text entry**. ...
www.wipo.org/pct/edi/en/ software/setup/winscp-setup.html - 24k - Cached - Similar pages

Apache Week. Using User Authentication
Apache Week offers news, **feature** articles, reviews, resources, and documentation.
... The username and **password** are stored in a plain **text** file. ...
www.apacheweek.com/**features**/userauth - 27k - Cached - Similar pages

HTML DOM **Password** Object
accesskey, Sets or returns the keyboard **key** to access the **password field**, 4, Yes
... onSelectStart, Executes some code when some **text** in the **password field** ...
www.w3schools.com/htmldom/dom_obj_password.asp - 27k - Sep 17, 2005 - Cached - Similar pages

HTML DOM **Text** Object
DOM **Location** · DOM Meta · DOM Navigator · DOM Option · DOM **Password** ... accessKey,
Sets or returns the keyboard **key** to access the **text field**, 4, Yes ...
www.w3schools.com/htmldom/dom_obj_text.asp - 28k - Sep 17, 2005 - Cached - Similar pages

PHPXRef 0.4 : PostNuke .80 : Full Variable Index
... $fh Definitions: 2 References: 4; **$field** Definitions: 11 References: 60 ...
Definitions: 5 References: 68; **$password** Definitions: 11 References: 39 ...
docs.markwest.me.uk/phpxref/pn80/_variables/ - 408k - Cached - Similar pages

Appendix B Configuring Identity Server in SSL Mode
The **Key** Pair **Field Password field** is the same as you entered in Step 11. ...
Enter the Certificate Database **password** in the **text field** and select Start. ...
docs.sun.com/source/816-6773-10/sslsetup.html - 26k - Cached - Similar pages

HP 3000 Manuals
... From **Text** command Define Sort **Key** Columns command column boundaries **key field**
... encryption **key** encrypting **text** setting **password key** Encrypt With **Key** ...

Google™ | text (field OR entry) (characteristic OR key OR | Search | Advanced Search / Preferences

Web Results **11 - 20** of about **6,820,000** for **text (field OR entry) (characteristic OR key OR feature) (logon (**

Basic Usage
When you press <Enter>, the **text** in the command **entry field** is sent to the MUD.
... the left clicking while holding the Shift **key** at the end **location**. ...
www.zuggsoft.com/zmud/help6/Basic_Us.htm - 9k - Cached - Similar pages

PHPXRef 0.6 : phpBB 2.0.12 : Full Variable Index
... $fd Definitions: 3 References: 8; $**field** Definitions: 6 References: 58 ...
$**location** Definitions: 40 References: 59; $location_url Definitions: 33 ...
www.phpbb.de/doku/xref/_variables/ - 182k - Cached - Similar pages

Navigator Seamonkey e-commerce/wallet
The User Data Mangement UE is a new **feature** in Seamonkey which will help ...
Users can override the value in the **text field** with a new value which gets ...
www.mozilla.org/projects/ ui/communicator/browser/wallet/ - 28k - Cached - Similar pages

VisualAge RPG Language Reference - Contents
User Controlled Support for Null-Capable Fields and **Key** Fields · Input-Only
Support for ... **Position** 36 (Data Format) · Positions 37-46 (**Field Location**) ...
publib.boulder.ibm.com/infocenter/iadthelp/ topic/com.ibm.etools.iseries.varpg.doc/sc09245102.htm - 72k -
Cached - Similar pages

ASDoc
Maximum number of characters that the **text field** can contain. The default value
is undefined. ... Whether the **field** is a **password field**, true or not, false. ...
livedocs.macromedia.com/flex/ 15/asdocs_en/mx/controls/TextInput.html - 38k - Cached - Similar pages

DoD-IG Resume Builder Instructions
Moving between fields: Use the Return or Enter **key** to move to a new line within
a **text field**. Use the Tab **key** to move to the next **field** on the form. ...
www.dodig.osd.mil/aim/psd/resume/ResumeBuilderInst.htm - 59k - Cached - Similar pages

Password Composer Greasemonkey User Script
Password composer is not loaded if the **password field** is appended through ...
Made ESC abort the **password entry** frame - Made Enter work in any **text field** ...
www.xs4all.nl/~jlpoutre/BoT/ Javascript/PasswordComposer/greasemonkey.html - 13k - Sep 17, 2005 -
Cached - Similar pages

Cisco - **Password** Recovery Procedure for the Catalyst Layer 2 Fixed ...
Note: LED **position** may vary slightly depending on the model. Catalyst 3524XL ...
The config.**text** file contains the **password** !— definition. ...
www.cisco.com/warp/public/474/pswdrec_2900xl.html - 15k - Cached - Similar pages

Inmagic Product **Feature** List
More control over the appearance and **position** of the **password** box ... Forms and
screens included for use with DB/**Text** WebPublisher ...
www.crewnoble.com/FeatureList.html - 66k - Cached - Similar pages

SofType 4.2

Google Web   Images   Groups   News   Froogle   Local   **more »**

text (field OR entry) (characteristic OR key OR   [Search]   Advanced Search
Preferences

Web Results **21 - 30** of about **6,820,000** for **text (field OR entry) (characteristic OR key OR feature) (logon (**

Request for proper text entry fields.... - Opera for Windows ...
When one enters **text** into a **field**, there isn'ta good way to exit that **field**. ...
Location: Atlantis. Posts: 33. Floepie. In non javascript based dialogs ...
my.opera.com/community/forums/ findpost.pl?mode=last&id=96679 - 9k - Cached - Similar pages

MobileFIBS
There is also a Settings screen and a separate **Key** Setup screens for the three
... Basically, **text** you enter in the **text entry field** at the bottom of the ...
www.harmonicode.com/MobileFIBS/manual.html - 6k - Cached - Similar pages

INPUT type=password Element | input type=password Object (Internet ...
Creates a single-line **text entry** control similar to the INPUT type=**text** ...
The following table lists the members exposed by the input type=**password** object. ...
msdn.microsoft.com/workshop/author/ dhtml/reference/objects/input_password.asp - 101k - Sep 17, 2005 -
Cached - Similar pages

ASDoc
The TextInput control is a single-line **text field** that is optionally editable.
... Whether the **field** is a **password field**, true or not, false. ...
livedocs.macromedia.com/flex/ 1/asdocs/mx/controls/TextInput.html - 31k - Cached - Similar pages

PHPXRef 0.6 : WordPress 1.6-ALPHA-2-still-dont-use (r2801: 22 ...
... $entity Definitions: 2 References: 4; $**entry** Definitions: 2 References: 76
... $test Definitions: 4 References: 16; $**text** Definitions: 76 References: ...
www.cenamayo.com/wpxref/_variables/ - 214k - Cached - Similar pages

[PDF] Instructions To Apply For On-Line Position Openings
File Format: PDF/Adobe Acrobat - View as HTML
Location, position. Reason for leaving. Supervisor's name. Supervisor's phone number
... Note: **Text** is case sensitive on a Lookup **field**. ...
www.ci.mesa.az.us/jobs/ pdf/OnLineAplicationInstructions.pdf - Similar pages

New Actionscript in Flash MX
sortOn : Sorts an array, using object property as sort **key**. Function : Object
which represents ... **TextField** : Object which represents **text field** instances ...
radio.weblogs.com/0102755/stories/ 2002/03/22/newActionscriptInFlashMx.html - 31k - Cached - Similar pages

marketing: OpenOffice.org 2.0 Office Suite Guide to New Features
This **feature** guide is a list of new features in OpenOffice.org 2.0 as compared to
... The user clicks into the **text field** of the sheet area **field**. ...
marketing.openoffice.org/2.0/featureguide.html - 101k - Sep 17, 2005 - Cached - Similar pages

Import / Export Options - Easy Password Manager
Button / **Feature**. Description. Current Master Database **Location**. This **text field**
displays the current full path **location** of the current Master Database. ...
www.passwordmanager.co.uk/helpguide/HFBackupHelp.html - 37k - Cached - Similar pages

Citrix Password Manager SSO for Host Applications

Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L25	5	text same (field or entry) same (location or position) same(characteristic or feature or pattern).clm.	US-PGPUB	OR	ON	2005/09/19 07:20
L26	0	text with field same (location or position) same (first or second or plural or many or multiple) same (remainder or leftover or remains).clm.	US-PGPUB	OR	ON	2005/09/19 07:20
L27	4	text with field same (location or position) same (identify or identifying or distinguish or distinguishing) same (first or second or plural or many or multiple).clm.	US-PGPUB	OR	ON	2005/09/19 07:20
L28	0	text with field same (location or position) same (first or second or plural or many or multiple) same (remainder or leftover or remains).clm.	US-PGPUB	OR	ON	2005/09/19 07:20
L29	0	text with field same (location or position) same (first or second or plural or many or multiple) same (characteristic or feature or pattern).clm.	US-PGPUB	OR	ON	2005/09/19 07:20
L30	5	text same (field or entry) same (location or position) same(characteristic or feature or pattern).clm.	US-PGPUB	OR	ON	2005/09/19 07:20
L31	5	text same (field or entry) same (location or position) same(characteristic or feature or pattern).clm.	US-PGPUB	OR	ON	2005/09/19 07:21
L32	5	text same (field or entry) same (location or position) same(characteristic or feature or pattern).clm.	US-PGPUB	OR	ON	2005/09/19 07:22
L33	5	text same (field or entry) same (location or position) same(characteristic or feature or pattern).clm.	US-PGPUB	OR	ON	2005/09/19 07:23
L34	3	text same (field or entry) same (location or position) same(logon or password).clm.	US-PGPUB	OR	ON	2005/09/19 07:23